Norton Brownsboro Hospital	Number Tested	Penicillins						Cephalosporins				Monobactam	Carbapenems		Aminoglycosides				Gram + Coverage					Others				
		Amoxicillin/Clavulanate	Ampicillin	Ampicillin/Sulbactam	Oxacillin	Penicillin	Piperacillin/Tazobactam	Cefazolin	Cefepime	Ceftazidime	Ceftriaxone	Aztreonam	Ertapenem	Meropenem	Amikacin	Gentamicin	Gentamicin Synergy	Tobramycin	Clindamycin [1, 2]	Erythromycin [2]	Vancomycin	Linezolid	Daptomycin	Ciprofloxacin	Levofloxacin	Nitrofurantoin [2]	Tetracycline	Trimeth/Sulfa
Acinetobacter species	10	0	0	80	0	0		0	70	80		0	0	*	100	90		100	0	0	0	0	0					80
Citrobacter freundii complex	21	0	0	0	0	0	76	0	100	62	57	62	95	*	100	95		95	0	0	0	0	0	100	100	100		95
Citrobacter koseri	25	92	0	80	0	0	96	84	96	96	96	95	96	92	100	96		100	0	0	0	0	0	96	96	77		100
Enterobacter cloacae complex	64	0	0	0	0	0	86	0	92	75	66	77	92	100	100	97		97	0	0	0	0	0	95	97	27		95
Escherichia coli	882	83	53	58	0	0	98	64	92	92	91	89	99	100	99	90		90	0	0	0	0	0	75	76	98		76
Klebsiella aerogenes	34	0	0	0	0	0	88	0	97	85	82	81	94	*	100	100		100	0	0	0	0	0	97	94	15		97
Klebsiella oxytoca	41	90	0	59	0	0	98	15	98	95	95	95	100	100	100	95		90	0	0	0	0	0	88	95	81		88
Klebsiella pneumoniae	179	92	0	83	0	0	94	84	93	91	92	92	98	96	99	96		95	0	0	0	0	0	95	97	44		88
Morganella morganii	19	0	0	0	0	0	95	0	100	68	68	67	100	100	100	84		100	0	0	0	0	0	63	89	0		53
Proteus mirabilis	103	95	82	93	0	0	100	66	97	96	96	93	100	100	100	89		87	0	0	0	0	0	62	65	0	0	70
Pseudomonas aeruginosa	136	0	0	0	0	0	91	0	93	93	0	82	0	93	99	85		98	0	0	0	0	0	88	87	0	0	0
Serratia marcescens	11	0	0	0	0	0	82	0	100	73	64	70	100	*	100	100		91	0	0	0	0	0	100	100	0		100
Stenotrophomonas maltophilia	14	0	0	0	0	0	0	0		29	0	0	0	0	0	0		0	0	0	0	0	0		86	0	0	100
Staphylococcus aureus	392	49			49			49				0							73	35	100	100	99				93	98
Methicillin-resistant S. aureus	202	0			0			0				0							69	15	100	100	99				92	96
Methicillin-susceptible S. aureus	195	100			100			100				0							77	55	100	100	100				94	100
Staphylococcus capitis	12	92			92			92				0							100	92	100	100	92			*	92	100
Staphylococcus epidermidis	111	36			36			36				0							68	39	100	100	99			98	89	61
Staphylococcus haemolyticus	12	33			33			33				0							*	*	100	100	100			*	75	75
Staphylococcus lugdunensis	20	80			80			80				0							88	71	100	100	100			*	90	100
Other coagulase-negative staphylococci	19	68			68			68				0							40	50	100	100	100			*	89	89
Enterococcus faecalis	75		100			100		0	0	0	0	0			0	0	71	0	0	27	96	99	100			*	17	0
Group B Streptococcus (S. agalactiae)	13		100			100					100	0							23	0	100				100		15	0
Streptococcus anginosus [3]	27		100			100					100	0							88	46	100				100		44	
Streptococcus constellatus [3]	11		100			100					100	0							91	73	100				91		45	
Streptococcus intermedius [3]	14		93			93					100	0							100	57	100				100		71	
Streptococcus pneumoniae	29	100				See Table II					See Table II	0							89	54	100				100		83	59
Viridans streptococci	25		76			72					96	0							96	48	100				80		64	
Aerococcus urinae	34					97					97	0							*	*	100				74		94	0
*Fewer than 10 isolates.																												

[1] MRSA: 10% inducible resistance, 21% constitutive resistance; MSSA: 17% inducible resistance, 6% constitutive resistance; Coag-neg Staph (all species): 3% inducible resistance, 26% constitutive resistance.

[2] Clindamycin and erythromycin data are based on non-urine isolates only. Nitrofurantoin susceptibility is based on urine isolates only.

[3] Together, the species S. anginosus, S. intermedius, and S. constellatus comprise the Streptococcus anginosus group.

Table II. Susceptibility rates of penicillin and ceftriaxone for *Streptococcus pneumoniae* (N = 29)	Penicillin - IV meningitis	Penicillin - IV non-meningitis	Penicillin - Oral	Ceftriaxone - IV meningitis	Ceftriaxone - IV non-meningitis
Percent Susceptible	59	100	59	86	100
Percent Intermediate	-	0	28	14	0
Percent Resistant	41	0	14	0	0