Norton Hospital	Number Tested	Penicillins						Cephalosporins				Monobactam	Carbapenems		Aminoglycosides				Gram + Coverage					Others				
		Amoxicillin/Clavulanate	Ampicillin	Ampicillin/Sulbactam	Oxacillin	Penicillin	Piperacillin/Tazobactam	Cefazolin	Cefepime	Ceftazidime	Ceftriaxone	Aztreonam	Ertapenem	Meropenem	Amikacin	Gentamicin	Gentamicin Synergy	Tobramycin	Clindamycin [1, 2]	Erythromycin [2]	Vancomycin	Linezolid	Daptomycin	Ciprofloxacin	Levofloxacin	Nitrofurantoin [2]	Tetracycline	Trimeth/Sulfa
Acinetobacter baumannii complex	17	0	0	76	0	0		0	82	82		0	0	71	100	94		88	0	0	0	0	0					82
Other Acinetobacter species	10	0	0	100	0	0		0	100	90		0	0	*	100	100		100	0	0	0	0	0					90
Citrobacter freundii complex	37	0	0	0	0	0	89	0	100	84	84	83	100	100	100	97		97	0	0	0	0	0	100	100	92		92
Citrobacter koseri	27	96	0	89	0	0	96	81	100	96	96	91	100	*	100	96		96	0	0	0	0	0	93	93	74		85
Enterobacter cloacae complex	100	0	0	0	0	0	75	0	84	57	55	63	72	97	100	94		94	0	0	0	0	0	91	96	18		89
Escherichia coli	1164	81	42	48	0	0	96	57	91	91	88	89	99	99	99	89		88	0	0	0	0	0	73	73	96		70
Klebsiella aerogenes	48	0	0	0	0	0	92	0	100	85	85	87	100	100	100	100		100	0	0	0	0	0	98	98	27		98
Klebsiella oxytoca	53	85	0	58	0	0	94	17	98	96	89	85	100	100	100	100		96	0	0	0	0	0	96	98	73		89
Klebsiella pneumoniae	271	90	0	79	0	0	95	81	94	92	90	91	99	96	99	94		93	0	0	0	0	0	92	96	38		87
Morganella morganii	21	0	0	10	0	0	100	0	90	52	67	69	100	100	95	81		90	0	0	0	0	0	67	71	0		62
Proteus mirabilis	128	97	84	91	0	0	100	66	97	98	95	97	99	100	99	88		90	0	0	0	0	0	69	73	0		73
Pseudomonas aeruginosa	194	0	0	0	0	0	82	0	81	82	0	72	0	87	98	88		95	0	0	0	0	0	77	76	0		0
Serratia marcescens	34	0	0	0	0	0	65	0	100	65	53	64	100	100	100	97		88	0	0	0	0	0	97	97	0		97
Stenotrophomonas maltophilia	29	0	0	0	0	0	0	0		45	0	0	0	0	0	0		0	0	0	0	0	0		97	0		100
Staphylococcus aureus	786	45			45			45				0							79	33	100	100	99				94	99
Methicillin-resistant S. aureus	440	0			0			0				0							75	10	100	100	99				95	98
Methicillin-susceptible S. aureus	363	100			100			100				0							83	61	100	100	100				94	99
Staphylococcus capitis	11	91			91			91				0							64	64	91	100	91			*	91	91
Staphylococcus epidermidis	153	31			31			31				0							50	25	100	100	100			100	78	45
Staphylococcus haemolyticus	13	15			15			15				0							*	*	100	100	100			100	62	38
Staphylococcus lugdunensis	27	81			81			81				0							80	72	100	100	100			*	100	100
Other coagulase-negative staphylococci	28	71			71			71				0							57	43	100	100	100			*	82	89
Enterococcus faecalis	150		100			100		0	0	0	0	0			0	0	75	0	0	28	97	100	100			*	35	0
Enterococcus faecium	36		31			31		0	0	0	0	0			0	0	64	0	0	3	33	97	83			*	22	0
Other Enterococcus species	14		93			93		0	0	0	0	0			0	0	93	0	0	46	64	100	100			*	43	0
Group A Streptococcus (S. pyogenes)	17		100			100					100	0							71	71	100				100		71	
Group B Streptococcus (S. agalactiae)	36		100			100					100	0							53	36	100				100		19	0
Streptococcus anginosus [3]	56		100			100					100	0							75	64	100				100		46	
Streptococcus constellatus [3]	45		87			96					100	0							73	64	100				98		71	
Streptococcus intermedius [3]	29		86			90					97	0							76	59	100				100		69	
Streptococcus pneumoniae	43	93				See Table II					See Table II	0							80	59	100				100		79	74
Viridans streptococci	45		60			53					93	0							82	39	100				89		60	
Aerococcus urinae	24		92			96					96	0							*	*	100				67		88	0
*Fewer than 10 isolates.																												

[1] MRSA: 7% inducible resistance, 18% constitutive resistance; MSSA: 13% inducible resistance, 4% constitutive resistance; Coag-neg Staph (all species): 6% inducible resistance, 36% constitutive resistance.

[2] Clindamycin and erythromycin data are based on non-urine isolates only. Nitrofurantoin susceptibility is based on urine isolates only.

[3] Together, the species S. anginosus, S. intermedius, and S. constellatus comprise the Streptococcus anginosus group.

Table II. Susceptibility rates of penicillin and ceftriaxone for *Streptococcus pneumoniae* (N = 43)	Penicillin - IV meningitis	Penicillin - IV non-meningitis	Penicillin - Oral	Ceftriaxone - IV meningitis	Ceftriaxone - IV non-meningiti
Percent Susceptible	67	95	67	91	100
Percent Intermediate	-	2	23	9	0
Percent Resistant	33	2	9	0	0