Norton Children's Medical Center	Number Tested	Penicillins						Cephalosporins					Monobactam	Carbapenem	Aminoglycosides				Gram + Coverage					Others			
		Amoxicillin/Clavulanate	Ampicillin	Ampicillin/Sulbactam	Penicillin	Oxacillin	Piperacillin/Tazobactam	Oral cephalosporins for uncomplicated UTI	Cefazolin	Cefepime	Ceftazidime	Ceftriaxone	Aztreonam	Meropenem	Amikacin	Gentamicin	Gentamicin Synergy	Tobramycin	Clindamycin [1, 2]	Erythromycin [2]	Vancomycin	Linezolid	Daptomycin	Ciprofloxacin	Levofloxacin	Nitrofurantoin [2]	Trimeth/Sulfa
Escherichia coli	135	84	46	50	0	0	97	89	68	95	95	83	90	100	100	96		96	0	0	0	0	0	84	84	99	74
Pseudomonas aeruginosa	10	0	0	0	0	0	100		0	100	100	0	*	*	90	70		90	0	0	0	0	0	90	90		0
Staphylococcus aureus	51	69				69			69				0						86	45	100	100	98				100
Methicillin-resistant S. aureus	17	0	0	0	0	0	0		0	0	0	0	0	0					88	12	100	100	94				100
Methicillin-susceptible S. aureus	35	100				100			100				0						85	60	100	100	100				100
Coagulase-negative staphylococci	21	57				57			57				0						*	*	100	100	100			100	86
Enterococcus faecalis	11		100		100				0	0	0	0	0		0	0	82	0	0	*	100	100	100			100	0
*Fewer than 10 isolates.																											

[1] MRSA: 6% inducible resistance, 6% constitutive resistance; MSSA: 15% inducible resistance, 0% constitutive resistance.

[2] Clindamycin and erythromycin data are based on non-urine isolates only. Nitrofurantoin susceptibility is based on urine isolates only.