Norton Children's Hospital 2020	Number Tested	Penicillins						Cephalosporins					Monobactam	Carbapenem	Aminoglycosides				Gram + Coverage					Others			
		Amoxicillin/Clavulanate	Ampicillin	Ampicillin/Sulbactam	Oxacillin	Penicillin	Piperacillin/Tazobactam	Oral cephalosporins for uncomplicated UTI	Cefazolin	Cefepime	Ceftazidime	Ceftriaxone	Aztreonam	Meropenem	Amikacin	Gentamicin	Gentamicin Synergy	Tobramycin	Clindamycin [1, 2]	Erythromycin [2]	Vancomycin	Linezolid	Daptomycin	Ciprofloxacin	Levofloxacin	Nitrofurantoin [2]	Trimeth/Sulfa
Acinetobacter species	13	0	0	100	0	0			0	100	92			100	100	92		100	0	0	0	0	0	100	100		100
Enterobacter cloacae complex [3]	39	0	0	0	0	0	79		0	97	82	69	82	100	100	100		100	0	0	0	0	0	95	97	*	92
Escherichia coli	436	86	44	52	0	0	98	89	63	94	93	92	91	100	99	90		91	0	0	0	0	0	84	85	98	78
Klebsiella oxytoca	22	100	0	68	0	0	95		9	100	95	95	94	100	100	100		95	0	0	0	0	0	100	100	92	100
Klebsiella pneumoniae	57	89	0	68	0	0	89	81	70	95	95	95	93	100	100	95		95	0	0	0	0	0	96	96	33	88
Proteus mirabilis	29	100	76	90	0	0	100	86	69	93	100	90	88	100	100	93		93	0	0	0	0	0	76	86	0	72
Pseudomonas aeruginosa	54	0	0	0	0	0	98		0	93	98	0	92	94	94	80		91	0	0	0	0	0	91	89	0	0
Serratia marcescens	28	0	0	0	0	0	64		0	100	57	61	63	100	96	100		93	0	0	0	0	0	96	93	0	96
Stenotrophomonas maltophilia	22	0	0	0	0	0	0		0		27	0	0	0	0	0		0	0	0	0	0	0		100		100
Staphylococcus aureus	353	48			48				48				0						86	39	100	100	99				99
Methicillin-resistant S. aureus	189	0	0	0	0	0	0		0	0	0	0	0	0					83	14	100	100	99				98
Methicillin-susceptible S. aureus	172	100			100				100				0						84	66	100	100	100				100
Staphylococcus epidermidis	77	35			35				35				0						43	22	100	100	100			100	73
Staphylococcus haemolyticus	11	18			18				18				0						*	*	100	100	100			100	64
Staphylococcus simulans	20	80			80				80				0						*	*	100	100	100			100	100
Other coagulase-negative staphylococci	22	77			77				77				0						92	58	100	100	100			*	100
Enterococcus faecalis	94		99			99			0	0	0	0	0		0	0	86	0	0	31	99	100	100			100	0
Streptococcus anginosus [4]	21		100			100						100	0						95	80	100				100		
Streptococcus constellatus [4]	19		100			100						100	0						89	58	100				100		
Streptococcus intermedius [4]	12		100			100						100	0						83	67	100				100		
Streptococcus pneumoniae	36	89				See Table II						See Table II	0						82	35	100				100		53
Viridans streptococci	22		55			55						68	0						91	32	100				86		
*Fewer than 10 isolates.																											

[1] MRSA: 4% inducible resistance, 13% constitutive resistance; MSSA: 15% inducible resistance, 1% constitutive resistance; Coag-neg Staph (all species): 2% inducible resistance, 43% constitutive resistance.

[2] Clindamycin and erythromycin data are based on non-urine isolates only. Nitrofurantoin susceptibility is based on urine isolates only.

[3] E. cloacae complex consists of the species E. asburiae, E. cloacae, E. hormaechei, E. kobei, E. ludwigii, and E. nimipressuralis.

[4] Together, the species S. anginosus, S. intermedius, and S. constellatus comprise the Streptococcus anginosus group.

Table II. Susceptibility rates of penicillin and ceftriaxone for *Streptococcus pneumoniae* (N = 36)	Penicillin - IV meningitis	Penicillin - IV non-meningitis	Penicillin - Oral	Ceftriaxone - IV meningitis	Ceftriaxone - IV non-meningitis
Percent Susceptible	53	89	53	81	97
Percent Intermediate	-	8	28	17	0
Percent Resistant	47	3	19	3	3