Norton Audubon Hospital 2021	Number Tested	Penicillins							Cephalosporins				Monobactam	Carbapenems		Aminoglycosides				Gram + Coverage					Others				
		Amoxicillin/Clavulanate	Ampicillin	Ampicillin/Sulbactam	Oxacillin	Penicillin	Piperacillin/Tazobactam	Oral cephalosporins for uncomplicated UTI	Cefazolin	Cefepime	Ceftazidime	Ceftriaxone	Aztreonam	Ertapenem	Meropenem	Amikacin	Gentamicin	Gentamicin Synergy	Tobramycin	Clindamycin [1, 2]	Erythromycin [2]	Vancomycin	Linezolid	Daptomycin	Ciprofloxacin	Levofloxacin	Nitrofurantoin [2]	Tetracycline	Trimeth/Sulfa
Acinetobacter baumannii complex [3]	16	0	0	63	0	0			0	94	100		0	0	88	100	94		88	0	0	0	0	0	88	94			81
Other Acinetobacter species	12	0	0	100	0	0				92	92		0	0	92	100	92		100	0	0	0	0	0	92	92			83
Citrobacter freundii complex [4]	35	0	0	0	0	0	100		0	100	77	77	74	97	100	100	97		94	0	0	0	0	0	100	100	96		91
Citrobacter koseri	30	100	0	100	0	0	100		100	100	100	100	100	100	100	100	100		100	0	0	0	0	0	100	100	50		97
Enterobacter cloacae complex [5]	146	0	0	0	0	0	86		0	91	69	66	76	91	100	100	97		98	0	0	0	0	0	95	96	13		91
Escherichia coli	1259	83	46	54	0	0	97	84	62	91	90	88	88	99	99	99	90		90	0	0	0	0	0	74	74	97		73
Klebsiella aerogenes	57	0	0	0	0	0	88		0	100	74	63	82	100	100	100	100		100	0	0	0	0	0	98	98	29		93
Klebsiella oxytoca	74	95	0	72	0	0	97		14	100	100	96	97	100	100	100	99		99	0	0	0	0	0	97	96	82		92
Klebsiella pneumoniae	336	90	0	80	0	0	96	90	81	91	89	88	88	99	100	100	95		93	0	0	0	0	0	91	94	44		83
Klebsiella variicola	12	83	0	83	0	0	92		83	100	100	100	100	100	100	100	100		100	0	0	0	0	0	100	100	*		100
Morganella morganii	47	0	0	4	0	0	92		0	98	55	60	51	96	100	100	81		91	0	0	0	0	0	70	77	0		62
Proteus mirabilis	184	96	84	92	0	0	100	93	67	99	98	97	93	99	100	99	93		93	0	0	0	0	0	78	85	0	0	79
Proteus vulgaris	24	88	0	79	0	0	100		0	100	96	38	71	100	100	100	100		100	0	0	0	0	0	96	96	0	0	79
Providencia rettgeri	18	0	0	39	0	0	78		0	78	28	78	11	100	100	100	94		89	0	0	0	0	0	94	94	0	0	78
Providencia stuartii	11	0	0	45	0	0	100		0	91	73	73	82	100	100	100	0		0	0	0	0	0	0	36	64	0	0	100
Pseudomonas aeruginosa	233	0	0	0	0	0	89		0	87	90	0	76	0	94	98	84		98	0	0	0	0	0	85	85	0	0	0
Serratia marcescens	55	0	0	0	0	0	73		0	96	53	55	53	95	98	100	100		91	0	0	0	0	0	96	100	0		98
Stenotrophomonas maltophilia	34	0	0	0	0	0	0		0		38	0	0	0	0	0	0		0	0	0	0	0	0		94		0	100
Staphylococcus aureus	750	49			49				49				0							73	35	100	100	100				92	98
Methicillin-resistant S. aureus	386	0			0				0				0							65	13	100	100	100				92	96
Methicillin-susceptible S. aureus	381	100			100				100				0							81	58	100	100	100				91	99
Staphylococcus capitis	14	93			93				93				0							83	83	100	100	100			*	93	86
Staphylococcus epidermidis	165	27			27				27				0							49	22	100	100	100			100	78	44
Staphylococcus hominis	28	57			57				57				0							69	36	100	100	100			*	71	61
Staphylococcus lugdunensis	47	85			85				85				0							73	62	100	100	100			100	89	98
Other coagulase-negative staphylococci	40	55			55				55				0							44	33	100	100	100			93	73	80
Enterococcus faecalis	169		100			100			0	0	0	0	0			0	0	75	0	0	25	96	100	100			100	22	0
Enterococcus faecium	33		30			33			0	0	0	0	0			0	0	76	0	0	16	45	100	91			*	24	0
Other Enterococcus species	12		100			100			0	0	0	0	0			0	0	100	0	0	25	75	100	92			*	58	0
Group A Streptococcus (S. pyogenes)	14		100			100						100	0							64	50	100				100		14	0
Group B Streptococcus (S. agalactiae)	36		100			100						100	0							38	28	100				97		11	0
Streptococcus anginosus [6]	47		98			98						100	0							70	59	100				98		40	
Streptococcus constellatus [6]	25		92			96						100	0							76	68	100				100		72	
Streptococcus intermedius [6]	16		100			100						100	0							69	50	100				100		62	
Streptococcus pneumoniae	50	98				See Table II						See Table II	0							82	52	100				100		84	82
Viridans streptococci	59		69			63						93	0							80	36	100				88		55	
Aerococcus urinae	42		95			98						98	0							*	*	100				69		81	0
Aerococcus viridans	17		94			82						88	0							*	*	100				53		88	82

*Fewer than 10 isolates.

[1] MRSA: 8% inducible resistance, 27% constitutive resistance; MSSA: 13% inducible resistance, 6% constitutive resistance; Coag-neg Staph (all species): 5% inducible resistance, 37% constitutive resistance,
[2] Clindamycin and erythromycin data are based on non-urine isolates only. Nitrofurantoin susceptibility is based on urine isolates only.
[3] A. baumannii complex consists of the species A. baumannii, A. calcoaceticus, A. nosocomialis, and A. pitii.
[4] C. freundii complex consists of the species C. braakii, C. freundii, C. murliniae, C. sedlaki, C. werkmanii, and C. youngae.
[5] E. cloacae complex consists of the species E. asburiae, E. cloacae, E. hormaechei, E. kobei, E. ludwigii, and E. nimipressuralis.
[6] Together, the species S. anginosus, S. intermedius, and S. constellatus comprise the Streptococcus anginosus group.

Table II. Susceptibility rates of penicillin and ceftriaxone for *Streptococcus pneumoniae* (N = 50)	Penicilin - IV meningitis	Penicilin - IV non-meningitis	Penicilin - Oral	Ceftriaxone - IV meningitis	Ceftriaxone - IV non-meningitis
Percent Susceptible	64	98	64	90	98
Percent Intermediate	-	2	24	8	0
Percent Resistant	36	0	12	2	2